
The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

Onan

Parts Manual

DJA GenSet




967-0224 7-89 (SPEC A-V) Replaces 7-83 (Spec A-V) Printed in U.S.A.

General Information

For parts or service, contact the dealer from whom you purchased this equipment or refer to your Nearest Authorized Onan Parts and Service Center.

To avoid errors or delay in filling your parts order, always give the MODEL, SPEC NO. and SERIAL NO. from the Onan nameplate.



For handy reference, insert "YOUR" nameplate information in the spaces above.

INDEX

TITLE	LOCATION
INTRODUCTION	Δ4
GENERATOR SET DATA TABLE	
STANDARD PARTS SECTION	
Air Cleaner and Fuel Filter	R2 R3
Anti-Flicker and Stop Solenoid	
Camshaft	
Control	
Crankshaft	• • • • • • • • • • • • • • • • • • • •
Cylinder Block and Oil Base	
Exhaust System	· · · · · · · · · · · · · · · · · · ·
Flywheel	
Gearcase	
Generator	•
Governor	
Head, Cylinder	
Housing, Air	
Injection System	B4
Oil System	A 12
Piston and Rod	. A 9
Service Kits and Miscellaneous	B13
SPECIAL PARTS SECTION - CONTRACTOR MODELS	
Air Cleaner and Fuel Filter	
Control	
Cylinder Block and Oil Base	
Exhaust System	
Gearcase	
Oil System	
OPTIONAL PARTS SECTION	D 14
Cleaner, Oil Bath Air	
Control, Continuous Glow Plug	
,	
Duct, Air	D2
Duct and Shutter, Air	
Internal Spring Type	
External Spring Type	
Housing and Skid Base	D3
Miscellaneous Optional Parts	
Filter, Oil (Heavy Duty)	D10
Heater, Oil Base	D10
Muffler, Critical (Housed Sets)	D10
Switch, High Air Temperature	D10
Panel, AC Meter (Housed Sets)	
Skid and Battery Rack	
Tank, Fuel	
Housed Sets	na
Unhoused Sets	
WIIII WWW WIN I I I I I I I I I I I I I	

Introduction

This catalog applies to the DJA Generator Sets as listed in the Generator Set Data Table. The model designation shown began during 1969. Previously, the model designations used a zero in place of the decimal in the kilowatt rating (Example: 2.5DJA was formerly 205DJA and 3.0DJA was formerly 3DJA). Parts are arranged in groups of related items and each illustrated part is identified by a reference number corresponding to the same reference number in the parts list. Unless otherwise mentioned in the description, parts are interchangeable between models. Parts illustrations are typical. Using the model and specification number from your generator set nameplate, select the Parts Key Number (1, 2, etc., in the last column) that applies to your set. This Parts Key Number represents parts that differ between models. Right and left sides are determined by facing the engine end (front) of the set.

Generator Set Data Table

MODEL AND	7	PARTS				
SPECIFICATION	WATTS	VOLTS	HERTZ	WIRE	PHASE	KEY NO.
2.5DJA-51R/*	2,500	120	50	2	1 1	1
2.5DJA-52R/*	2,500	240	50	2	1 1	1
2.5DJA-53R/*	2,500	120/240	50	3	1	1
2.5DJA-53CR/*	2,500	120/240	50	**	1 1	1
2.5DJA-55R/*	2,500	240	50	3	3	1
3.0DJA-1R/*	3,000	120	60	2	1	1
3.0DJA-2R/*	3,000	240	60	2	1	1
3.0DJA-3R/*	3,000	120/240	60	І з	1	1
3.0DJA-3CR/*	3,000	120/240	60	**	1 1	1
3.0DJA-4R/*	3,000	120/208	60	4	3	1
3.0DJA-5R/*	3,000	240	60	3	3	1
		(120 AC)		1	1	
3.0DJA-1R/4*	3,000	(32 DC)	60	2	1	2
·		(120/240AC)			j	
3.0DJA-3R4/*	3,000	(32 DC)	60	3	1	2
2.5DJA-224R/*	2,500	24 DC	DC			3
3.0DJA-232R/*	3,000	32 DC	DC			4
3.0DJA-FB/*	3,000	120/240	60	**	1	1
3.0DJA-FJ/*	3,000	120/240	60	**	1	1
4.0DJA-FJ/*	4,000	120/240	60	**	1	5
2.5DJA-53CE/*						
3.0DJA-1E/*	CONTRAC	TOR MODELS	- SEE SPE	CIAL PAR	RTS	
(Formerly 3DJA-1E2236/*)	SECTION	FOLLOWING	STANDARD	PARTS SE	ECTION	1
3.0DJA-3CÉ/*	1					
(Formerly 3DJA-3E2236/*)						

- * The diagonal line (/) in the model and specification number separates generator set characteristics from the specification number and letter. The specification number denotes customer requested options or deviations from a standard (1A, 1B, etc.) model. The specification letter advances (A to B, B to C, etc.) with major manufacturing changes.
- ** Set is reconnectible for 120 volt, 2 wire; 240 volt; 2 wire or 120/240 volt, 3 wire service.

STANDARD PARTS SECTION

This section contains standard parts applicable to models listed in the generator set data table.


CYLINDER BLOCK AND OIL BASE -56≻18A -55 52 **4** 50 **-** 34 **-31** -33 -35 C-1036

A6

CYLINDER BLOCK AND OIL BASE


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF NO.	NO.	QTY USE	D DESCRIPTION
1	110-1335	1	Block Assembly, Cylinder (Includes Parts Marked * Plus Tappets)	31	526-0198	8	#†Washer (5/8" ID x 1-1/2" OD x 1/16" Thk) Only With Cone Shaped Cushion (Use as
2	101-0337	1	*Plate, Bearing (Less Bearing & Pins)	32	CUSHION, V	IBRATI	Required) ON - CONE SHAPED -
3	101-0386	1	*Gasket and Shim Kit,		BEGIN SPEC		
		•	Rear Bearing Plate - Includes		402-0284	2	Engine End
			Bearing Plate Mounting		402-0285	2	Generator End
	DEADING DD		Washers	33	402-0282	4	£#†Snubber, Shock Mounting - Begin Spec C
4	BEARING, PR 101-0359	2	*Standard	34	526-0014	4	£#†Washer (29/64" ID x 1-1/2"
	101-0359-02	2	.002" Undersize				OD x 1/8" Thk) Only with
	101-0359-10	2	.010" Undersize				Cone Shaped Cushion
	101-0359-20	2	.020" Undersize	35	526-0195	4	£#†Washer (29/64" ID x 3" OD x 1/8" Thk) Only with
_	101-0359-30	2	.030" Undersize				Cone Shaped Cushion
5 6	516-0072 104-0420	4 2	*Screw, Drive *Washer, Crankshaft Thrust	36	402-0300	4	#†Cup, Cushion Retaining
7	101-0363	1	*Bearing, Precision Cam -	37	NIPPLE, PIPI		
•	101-0000	•	Front		505-0002	2	Long (1/2" x 3") Housed Sets
8	101-0365	1	*Bearing, Precision Cam -		505-0002	1	Long (1/2" x 3") Skid Mounted Sets
•	100 0570		Rear		505-0185	1	Half (1/2" x 1-1/2") Skid
9 10	120-0572 517-0053	1	*Tube, Crankcase Oil *Plug, Camshaft Opening			,	Mounted Sets
11	104-0170	4	#Screw, Cap - Hex Head	38	504-0011	1	Valve, Oil Drain - Housed
	104-0170	4	(Special) Housed Sets	20	500 0407		and Skid Mounted Sets
12	509-0086	1	Seal, Crankshaft Rear	39	503-0197	1	Clamp, Oil Drain - Housed and Skid Mounted Sets
13	805-0019	6	*Bolt, Place (Special)	40	503-0316	1	Hose, Oil Drain - Housed
14	TUBE, OIL FIL	LL					and Skid Mounted Sets
	123-0724	1	Spec A through R	41	123-0958	1	Screen, Breather Tube -
15	123-1084 123-0667	1	Begin Spec S Gasket, Oil Fill Tube	40	500 0117	4	Early Spec R Models
16	123-0007	1	Cap & Indicator	42	509-0117	1	Seal, "O" Ring - Breather Tube - Begin Spec R
17	123-0191	1	Gasket, Cap	43	123-0998	2	Insulator Halves - Breather
18	CAP, BREATH						Tube - Begin Spec R
	123-0458	1	Spec A	44	518-0268	1	Clamp, Breather Tube
18A	123-0787 123-1203	1	Spec B through P Cap & Valve Assembly,				Insulator Halves - Begin Spec R
10/1	120 1200		Breather - Begin Spec R	45	HARDWARE	PACKA	GE, MOUNTING
19	*TUBE, BREAT	THER	,		402-0301	4	Sets Without Housing or
	123-0645	1	Spec A through Q				Skid Mounting (Includes
20	123-0952 123-0315	1	Begin Spec R Valve, Breather - Spec A		400 0044	4	Parts Marked †)
20	120 0010	•	through Q		402-0341	1	Housed Sets (Includes Parts Marked #)
21	123-1283	1	Filter, Breather		402-0327	1	Skid Mounted Sets (Includes
							Parts Marked £)
22	BASE, OIL		Con Assaul B	40	SCREW, CAI		
	102-0488	1	Spec A and B Begin Spec C	46	800-0050	6	Oil Base Mounting (3/8-16 x 1")
	102-0541	1	Sets Without Oil Base Heater	47	800-0026	2	Oil Fill Tube Mounting
	102-0547	1	Sets With Oil Base Heater			_	(5/16-18 x 3/4")
23	102-0459	1	Gasket, Base		WASHER, LO		
24	505-0056	1	Plug, Pipe - Square Head	48	850-0050	6	Oil Base Mounting (3/8")
			(1/2") Sets Without Housing or Skid Mounting	49	850-0045	2 4	Oil Fill Tube Mounting (5/16")
25	505-0014	1	Coupling, Pipe (1/2") Sets	50	850-0055	4	£#†Generator Set Mounting (7/16")
			Without Housing or Skid	51	526-0245	6	*Washer, Flat (Special)
	505 0000		Mounting				
26	505-0002	1	Nipple, Pipe (1/2" x 3") Sets	52	862-0004	4	£#†Nut, Hex (7/16-14)
			Without Housing or Skid Mounting	53	SCREW, MO 816-0212	4	†Bolt, Carriage (7/16-14 x
27	516-0141	2	*Pin, Dowel - Gearcase		0.0 02.2	•	5-1/2") Housed Sets
		_	Locating		800-0082	4	£Screw, Cap (7/16-14 x
28	402-0036	4	Mount, Vibration - Cylindrical		000 0005		3-3/4") Skid Mounted Sets
			Shaped - Upper - Spec A	54	809-0035	1	Screw, Machine - Round Head Sheet Metal (#8 x 3/4")
29	402-0038	4	and B Mount, Vibration - Cylindrical	55	123-1201	1	Retainer, Breather Screen -
20	402 0000	-7	Shaped - Lower - Spec A				Begin Spec R
			and B	56	123-1202	1	Screen, Breather - Begin Spec R
30			VIBRATION MOUNT	57	123-1153	1	Cup, Baffle - Begin Spec R
	402-0046	4	Spec A and B				9-1335 Cylinder Block Assembly.
	402-0328	4	Begin Spec C #† Sets Without Skid Mounting				2-0301 Mounting Hardware Package. 2-0341 Mounting Hardware Package.
	402-0328	4	£ Sets With Skid Mounting				-0327 Mounting Hardware Package.
							•

CAMSHAFT




- * Parts Included in 105-0218 Camshaft Gear Assembly. # Camshaft Gear Assemblies With Rivets Order 105-0218 Camshaft Gear Assembly.

CRANKSHAFT AND FLYWHEEL



REF.	PART NO.	T QTY. USED	PART DESCRIPTION
1	104-1288	1	Crankshaft Kit (Includes All Keys)
2	104-0418	1	Gear
3	104-0416	1	Washer, Retainer
4	518-0188	1	Ring, Lock
5	104-0529	1	Flywheel
6	515-0006	1	Key, Blower to Crankshaft
9	800-0500	1	Screw, Flywheel (Special)
10	515-0001	1	Key, Gear
13	526-0185	1	Washer, Flywheel (7/16")
14	515-0153	1	Key, Flywheel to Crankshaf


PISTON AND ROD



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	RING SET, PIS	STON	
	113-0130	1	Standard
	113-0130-05	1	.005" Oversize
	113-0130-10	1	.010" Oversize
	113-0130-20	1	.020" Oversize
	113-0130-30	1	.030" Oversize
	113-0130-40	1	.040" Oversize
2		, INCLU	DES PIN RETAINING
	RINGS		Coop A Abronich O
	110 0170		Spec A through Q
	112-0173	1	Standard
	112-0173-05	1	.005" Oversize
	112-0173-10	1	.010" Oversize
	112-0173-20	1	.020" Oversize
	112-0173-30	1	.030" Oversize
	112-0173-40	1	.040" Oversize
			Begin Spec R
	112-0109	1	Standard
	112-0109-05	1	.005" Oversize
	112-0109-10	1	.010" Oversize
	112-0109-20	1	.020" Oversize
	112-0109-30	1	.030" Oversize
	112-0109-40	1	.040" Oversize
3	112-0093	1	Pin, Piston
4	112-0085	2	Ring, Retaining - Pin
5	114-0168	1	Rod Assembly, Connecting
6	BEARING HA	LF, CON	INECTING ROD
	114-0164	2	Standard
	114-0164-10	2	.010" Undersize
	114-0164-20	2	.020" Undersize
	114-0164-30	2 2	.030" Undersize
7	114-0170	2	Bushing Half, Piston Pin - Connecting Rod
8	805-0012	2	Bolt, Place - (Special)

CYLINDER HEAD

	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	1	HEAD, CYLII	NDER	
	•	110-2963	1	With Valves (Includes Oil Line Connector and Parts Marked +)
		110-3059	1	+Without Valves (Includes Parts Marked #)
	3∗	GUIDE, VAI	LVE	Early Style
		110 1501	2	Standard
		110-1501 110-1501-01	_	.001" Oversize
		110-1501-0	_	.005" Oversize
		110-1301-00	, _	Late Style
		110-1869	1	#+ Intake
		110-1870	1	#+ Exhaust
	4	INSERT, VA	LVE SEA	Т
	·	110-1268		#+Standard
		110-1268-02	2	.002" Oversize
		110-1268-05	2	.005" Oversize
		110-1268-10	2	.010" Oversize
		110-1268-25	2	.025" Oversize
	5 7	∗VALVE, INΤ		
		110-1320	1	Early Style
		110-1871	1	+Late Style
	6	110-1278	1	+Valve, Exhaust
	7	110-1221	2	+Spring, Valve
	8	110-1220	2	+Retainer, Valve Spring
	9	110-0858	4	+Lock, Valve Spring Retainer
	10	110-0859	2	Cap, Valve Stem
	11	*SEAL, OIL -		
		509-0090	1	Early Style
	10	509-0132	1	+Late Style
	12	ARM, ROCK	1	Exhaust
		115-0128 115-0129	1	Intake
	13	862-0003	1	Nut, Hex (3/8-16)
	14	115-0127	2	Ball, Rocker Arm
	15	115-0150	2	Lock Nut, Rocker Arm
	16	115-0152	2	+Stud, Rocker Arm
	17	115-0149	2	Rod, Valve Push (Steel)
	18	TAPPET, VA		, ,
	, 0	115-0132	2	Spec A through Q
		115-0195	2	Begin Spec R
	19	115-0147	1	Guide, Push Rod
	20	115-0151	2	Shield, Push Rod
	21	509-0084	4	Seal, Push Rod Shield
	22	115-0155	4	Washer, Spring Retaining
	23	115-0146	2	Spring, Shield Retainer
	24	115-0188	1	Cover Assembly, Rocker
				(Includes Parts Marked *)
	25	120-0595	1	*Line, Oil - Rocker Cover
	26	115-0160	1	Gasket, Rocker Cover
	27	110-1264	2	Screw, Cylinder Head
				(3/8-16 x 4-1/4")
	28	110-0814	4	Screw, Cylinder Head
				(3/8-16 x 1-1/2")
	29	526-0174	4	Washer, Cylinder Head
	30	800-0031	2	Screw (5/16-18 x 1-1/2") -
				Exhaust Manifold - Spec A
			_	through Q
	30A	520-0608	2	Stud, Exhaust Manifold
				Mounting - Begin Spec R
	31	403-0671	1	Bolt, Lifting
	32	815-0562	1	*Screw, Machine - Cross
				Recessed Pan Head
				(#10 x 5/16")
	33	110-0546	1	Gasket, Glow Plug
	34			des Gasket)
		333-0106	1	Key 1 - 12 Volt
		333-0107	1	Key 3 - 24 Volt
		333-0112	1	Key 2, 4 - 32 Volt
	35	110-1512	1	Arm, Decompression Release
	36	110-1444	1	+Pin, Decompression Release
	37	PIN, ROLL		0/46" 1 0/0"
		516-0090	1	3/16" x 1-3/8"
1		516-0192	1	#+3/16" x 1-5/8" Soring Decompression Release
	38	110-1356	1	Spring, Decompression Release



M-1521

A10

CYLINDER HEAD

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
39	518-0207	1	Ring, Retainer - Decompression Release
40	815-0252	1	Screw, Set - Decompression Release
41	870-0134	1	Palnut, Decompression Release
42	110-1511	1	Washer, Decompression Release (Not used on early models with cast iron arm)
43	110-0879	2	Screw, Hex Cap - Rocker Cover Mounting (5/16-18 x 1-1/4")
44	850-0045	2	Washer, Lock - Spring Rocker Cover Mounting (5/16")
45	526-0130	1	*Washer, Flat (17/64" ID x 1" OD x 1/16" Thk)
46	110-1267	1	Gasket, Head


- # Parts Included in 110-3059 Cylinder Head.
- + Parts Included in 110-2963 Cylinder Head Assembly.
 * Parts Included in 115-0188 Rocker Cover Assembly.

* - NOTE: Due to manufacturing changes, replacement parts for the intake valve, valve guide and valve stem oil seal must be used in the proper combination:


The 509-0090 oil seal must be used with the 110-1320 intake valve and the 110-1501 valve guide.

The 509-0132 oil seal must be used with the 110-1871 intake valve and the 110-1869 valve guide.

For identification, Figure 1 illustrates the top view of the valves and Figure 2 illustrates a cross section of the valve stem oil seals.





110-1871 VALVE



110-1320 VALVE

FIGURE 1. VALVE IDENTIFICATION






509-0132 OIL SEAL

509-0090 OIL SEAL


FIGURE 2. OIL SEAL IDENTIFICATION

OIL SYSTEM




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	120-0547	1	Pump, Oil	15	505-0274	1	Plug, Hex - Countersunk (1/8")
2	120-0580	1	Gasket Kit, Pump	16	502-0053	1	Elbow, Oil Gauge Mounting (45°) Begin Spec S
3 4	120-0551 122-0185	1	Cup, Oil Pump Intake Filter, Oil - 4-3/8" Long	17	309-0104	1	Switch, Low Oil Pressure
5	122-0188	i	Gasket, Adapter	18	502-0255	1	Tee, Restricted - Air Trap Tube
6	122-0182 193-0006	1	Adapter, Oil Filter Gauge, Oil Pressure	19	120-0598	1	Tube Tube, Air Trap - Switch
8	502-0020	1	Elbow, Street - 90°	20	501-0003	1	Line, Oil Gauge - Begin
9	505-0274	1	Plug, Hex - Countersunk (1/8")	21	502-0001	1	Spec S Tee, Oil Gauge Mounting -
10	ELBOW, OIL LINE TO FILTER ADAPTER 502-0019 1 Spec A through Q				502-0001	'	Begin Spec S
	502-0013	i	Begin Spec R	WASHER, LOCK - SPRING (5/16")			
11		TER TO C	YLINDER HEAD	22	850-0045	2	Oil Pump Mounting
	120-0562	1	Spec A through Q	23	850-1045	3	Oil Filter Adapter Mounting
	120-0622	1	Begin Spec R		SCREW, CA	P - HEX F	
12	CONNECTO	R, RESTE	RICTED CYLINDER	24	800-0028	2	Oil Pump Mounting (5/16-18 x 1")
	502-0235	1	Spec A through Q	25	800-0026	3	Oil Filter Adapter Mounting
	502-0281	1	*Begin Spec R				(5/16-18 x 3/4")
13	120-0539	1	Valve, Oil By-Pass			440.0000	O the depth and Assembly
14	120-0555	1	Spring, By-Pass Valve	* - Pa	irt Included in	110-2963	Cylinder Head Assembly.

GEARCASE



REF. NO.	PART NO.	QTY. USED	PART Description	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	103-0277	1	Gearcase Assembly - Complete		SCREW, CA	P - HEX H	EAD - Gearcase Mtg.
_			(Includes Parts Marked *)	16	800-0028	1	5/16-18 x 1"
2	150-1089	1	Arm, Governor - Begin Spec R	17	110-0879	4	5/16-18 x 1-1/4"
2A	150-0838	1	*Shaft, Governor	18	850-0045	5	Washer, Lock - Spring
2B	150-0856	1	Arm, Governor - Spec A through Q	19	815-0347	2	Gearcase Mounting (5/16") Screw, Hex Head - Gearcase
2C	815-0176	1	*Screw (#8-32 x 1/2")				Backplate Mounting
3	516-0111	1	*Pin, Roll - Governor Cup Stop	20	800-0026	1	1/4-20 x 1/2") Screw, Cap - Hex Head
4	150-0777	1	*Yoke, Governor				Gearcae Backplate Mounting
5	518-0129	1	*Ring, Yoke				(5/16-18 x 3/4")
6	509-0088	1	*Seal, Oil	21	850-0045	1	Washer, Lock - Spring -
7	510-0048	1	*Bearing (1/2") - Governor Shaft				Gearcase Backplate Backplate Mounting (5/16")
8	510-0082	1	*Bearing (1/4") - Governor Shaft	22	526-0115	2	Washer, Flat - Gearcase Backplate Mounting
9	510-0043	1	*Ball, Bearing - Governor Shaft Thrust	23	850-0025	1	*Washer, Lock - Spring (#8)
10	509-0087	1	*Seal, Oil	* - Ind	luded in 103-0	277 Geard	case Assembly
1.1	103-0251	1	Gasket, Gearcase				,
12	103-0218	1	Gasket, Backplate				
13	103-0226	1	Backplate				
14	103-0221	1	Cover, Gearcase Backplate Opening				
15	160-0721	1	Gasket, Backplate Opening Cover				


GOVERNOR





REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	150-1084	1	Spring, Governor - Begin Spec R
1A	150-0821	1	Spring, Governor - Spec A through Q
2	150-1082	1	Stud, Adjusting - Begin Spec R
2A	150-0822	1	Stud, Adjusting - Spec A through Q
3	NUT, ADJUST	ING ST	UD
	104-0091	1	Spec A through Q
	862-0003	1	Begin Spec R
4	BRACKET AS	SEMBLY	•
	150-0812	1	Spec A through Q
	150-1107	1	Begin Spec R
5	150-1202	1	Linkage Assembly, Governor -
			Begin Spec R (Includes
			Parts Marked *)
6	LINK		
	150-0883	1	Spec A through Q
	150-1201	1	*Begin Spec R
7	JOINT, BALL		
	150-0974	2	Spec A through Q
	150-0939	2	*Begin Spec R
8	870-0131	2	*Nut, Hex - With ET
9	NUT, LOCK		0
	870-0130	1	Spec A through Q
40	870-0133	1	Begin Spec R
10	870-0053	2	*Nut, Hex - Begin Spec R

^{* -} Parts Included in 150-1202 Governor Linkage Assembly.

AIR CLEANER AND FUEL FILTER








FS-1527

AIR CLEANER AND FUEL FILTER


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	LINE EHEL	Transfor	Pump to Primary Filter	28	853-0013	1	#Washer, Lock - ET (1/4")
1	501-0032	1	Spec A through R	20	000-0010	'	Key 3
	149-1191	i	Begin Spec S	29	LEAD, JUM	PER	,
2	ELBOW, SEC	CONDARY	Y FILTER TO LINE -		334-0031	1	Key 2,4 (Heater to Heater)
	Spec A throu				336-1408	1	Key 3 (Screw to Heater)
	502-0041	<u> </u>	Inlet	30	520-0011	2	Stud, Adapter Mounting
	502-0054	1	Outlet	31	870-0137	2	Nut, Huglock - Adapter
3	149-0408	1	Filter, Secondary (Includes				Mounting
			Cartridge) - Spec A through R	32	149-0769	1	Plug, Air Bleed -
4	149-0428	1	Cartridge, Secondary Fuel				Spec A through R
_	4.40.0450		Filter - Spec A through R	33	149-1078	1	Filter, Fuel - Fuel Tank
5	149-0456	1	Gasket, Secondary Filter -				to Transfer Pump - Spec A
			Bowl to Cover - Spec A				through R (Includes
6	149-0455	1	through R Gasket, Secondary Filter -	24	140 0046	4	Cartridge)
О	149-0455	'	Cartridge to Head - Spec A	. 34	149-0846	1	Cartridge, Fuel Filter - Spec A through R
			through R	35	505-0007	2	Bushing, Filter - Spec A
7	149-0493	1	Gasket, Secondary Filter -	00	303 0007	_	through R
·		•	Cartridge to Retainer -	36	502-0020	1	Elbow, Street - Filter
			Spec A through R			·	Outlet - Spec A through R
8	501-0103	1	Line, Fuel - Secondary	37	502-0080	2	Plug, Fuel Filter Drain -
			Filter to Injection Pump				Begin Spec S
9	141-0281	1 '	'#Gasket, Air Cleaner Adapter	38	502-0003	2	Connector - Primary Filter
			to Engine				Inlet (1) and Secondary
10	ADAPTER K						Filter Outlet (1) - Begin
	140-1748	1	Key 1	20	100 0005		Spec S
	140-1910	1	Key 2,4 (Includes Parts Marked *)	39	122-0325	1	Filter, Fuel - Primary -
	140-1909	1	Key 3 (Includes Parts	40	122-0326	1	Begin Spec S Filter, Fuel - Secondary -
	140 1500	•	Marked #)	40	122-0020	,	Begin Spec S
11	505-0180	1	Plug, Pipe (1/4")	41	149-1185	1	Adapter, Fuel Filter -
12	140-0584	1	Gasket, Air Cleaner				Begin Spec S
13	HOSE, BREA	ATHER		42	526-0068	1	Washer, Flat (29/64" ID x
	123-0769	1	Spec A				3/4" OD x 1/16" Thk)
	503-0479	1	Spec B through P				Primary Fuel Filter Mounting -
	503-0560	1	Begin Spec R	40	004 0074		Begin Spec S
14	140-0595	1 1	Pan, Air Cleaner	43	801-0074	1	Screw, Cap - Hex Head
15	140-0636	ļ	Element and Retainer - Air Cleaner				(7/16-20 x 1-3/4") Primary Fuel Filter Mounting -
16	140-0594	1	Cover, Air Cleaner				Begin Spec S
17	520-0621	2	Stud, Air Cleaner	44	526-0066	1	• .
18	865-0020	2	Nut, Wing - Air Cleaner		020 0000		Washer, Flat (25/64" ID x 9/16" OD x 1/16" Thk)
19	503-0171	2	Clamp, Breather Hose				Secondary Fuel Filter
20	HEATER, MA	ANIFOLD	- Includes Gasket				Mounting - Begin Spec S
	154-0712	1	Key 1	45	801-0053	1	Screw, Cap - Hex Head
	154-0712	3	Key 2,4	45	001-0033	'	(3/8-24 x 1-3/4")
	154-0712	2	Key 3				Secondary Fuel Filter
21			O AIR HEATER				Mounting - Begin Spec S
	336-1380	1	Round Type Terminal	46	WASHER, F	LAT (9/32	" ID x 9/16" OD x 1/16" Thk)
20	336-1505	1	Blade Type Terminal		526-0015	2	*Key 2,4
22	336-1418	1	Lead, Air Heater to Solenoid in Control		526-0015	1	#Key 3
23	140-1704	1	*#Gasket, Heater Plate -				
_0		•	Key 2,3,4				0 Air Cleaner Adapter Kit
24	140-1703	1 '	*#Plate, Heater - Key 2,3,4	# - Pa	rts included i	n 140-190	9 Air Cleaner Adapter Kit
25	508-0103		*#Bushing, Insulator - Key 2,3,4				
26	508-0102		*#Washer, Insulator - Key 2,3,4				
27	114-0023	2	Screw, Cap - Hex Head				
			(Special) - Key 2,3,4				

INJECTION SYSTEM



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF.	PART NO.	QTY. USED	PART DESCRIPTION
	149-1047	1	Repair Kit, Fuel Pump (Includes Diaphragm &	15	149-0925	1	Line, Injection Pump to Nozzle
			Gaskets)	16	147-0136	1	Nozzle & Holder Assembly
1	502-0002	1	Elbow, Inverted Male ~ Fuel Pump Inlet	17	147-0134	1	Nozzle Only (Component of Nozzle & Holder Assembly)
2	149-1789	1	Pump Kit, Fuel Transfer - Includes Mounting Gasket	18	147-0141	1	Flange, Injection Nozzle Hold-down
3	149-0792	1	Gasket, Fuel Pump Mounting	19	147-0044	1	Shield, Nozzle Heat
4	149-0517	1	Gasket, Fuel Pump Bowl	20	147-0043	1	Gasket, Heat Shield
5	149-0463	1	Screen, Fuel Transfer Pump	21	110-0419	1	Gasket, Shield to Head
6	BOWL, FUE	L PUMP FI	LTER (Measure for Length)	22	LINE, NOZZ	LE FUEL	RETURN
	149-0116	1	2-3/8" Long		149-0958	1	Spec A Only
	149-1168	1	1-5/8" Long		149-0947	1	Begin Spec B
6A	BAIL, FUEL	PUMP FIL	TER (Measure for Length)	23	502-0065	1	Elbow, Inverted - 45° -
	149-1006	1	3-5/8" Long				Nozzle (Fuel Return Line)
	149-1169	1	2-7/8" Long	24	147-0133	1	Adapter, Injection Nozzle
7	502-0065	1	Elbow, 45° Inverted - Begin	27	501-0007	2	Line, Fuel (24")
			Spec S	29	147-0183	1	Valve, Check - Injection
8	149-1307	2	Washer, Fuel Pump Mounting				Pump - Begin Spec B
9	502-0033	ī	Connector, Inverted -		SCREW, CA	AP - HEX H	
			Injection Pump Inlet - Begin Spec B	30	800-0027	2	Fuel Pump Mounting (5/16-18 x 7/8")
10	502-0041	1	Elbow, Injection Pump Inlet - Spec A	31	800-0194	2	Injection Pump Mounting (5/16-18 x 1-3/8")
11	PUMP, INJE	CTION 1	Spec A — For Replacement	32	800-0508	2	Nozzle Mounting (5/16-18 x 2-3/4")
			Order 147-0180 Pump, 502-0033 Connector, 149-0947 Line and E154 Instruction Sheet	33	850-0045	4	Washer, Lock - Spring (5/16") - Injection Pump (2) and Fuel Transfer Pump (2) Mounting
	147-0180	1	Begin Spec B	34	526-0122	2	Washer, Flat - Nozzle Mounting
12	509-0101	1	Seal, O-Ring, Injection Pump to Crankcase			_	(11/32" ID x 23/32" OD x .06" Thk)
13	115-0166	1	Tappet, Injection Pump	35	502-0003	1	Connector, Inverted Male -
14	147-0172	1	Shim Kit, Injection Pump				Fuel Pump Outlet - Spec A through R
				36	147-0243	1	Gasket, Nozzle Tip


EXHAUST SYSTEM



REF.	PART NO.	QTY. USED	PART DESCRIPTION
	155-1898	1	Exhaust Package, Critical Muffler (Includes 155-0360 Muffler, 140-0078 Mounting Bands (2) and Parts Marked (*)
1	MANIFOLD, EX	(HAUST	Ţ
	154-0704	1	Spec A and B Begin Spec C
	154-0725	1	Sets Without Air Duct or Air Duct and Shutters
	154-0704	1	Sets With Air Duct or Air Duct and Shutters
3	154-0463	1	Gasket, Manifold
4	MUFFLER, EXI	HAUST	
	155-0330	1	Unhoused Sets - 1-1/4" Inlet
	155-0456	1	Housed Sets - 1-1/2" Inlet
5	TUBE, EXHAU	ST - FLI	EXIBLE
	155-0492	1	Unhoused Sets
	155-0849	1	Housed Sets
	155-0951	1	*Housed Sets with 155-0360 Critical Muffler
6	505-0036	1	Coupling, Pipe - Reducer (1-1/2" to 1-1/4") Housed Sets
7	505-0031	1	Coupling, Pipe - Reducer (1-1/4") Unhoused and Skid Mounted Sets
10	505-0183	1	*Elbow, Pipe - Reducer (1-1/2" x 1-1/4" x 90°)
11	505-0043	1	*Elbow, Pipe - (1-1/2" x 90°) Housed Sets
13	110-0445	2	Nut, Hex (Special)
14	154-1665	1	Tab, Lock
15	155-0824	1	Muffler, Exhaust - Skid Mounted Sets
16	505-0177	1	Nipple, Pipe (1-1/4" x Close) Skid Mounted Sets

Parts Included in 155-1898 Critical Muffler Exhaust Package

ANTI-FLICKER AND STOP SOLENOID




ES-1433

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	166-0316	1	Point Set, Anti-Flicker - Key 1,2	8	SOLENOID,	DECOMP	RESSION RELEASE Key 1 (12 Volt)
2	160-0800	1	Plunger, Breaker - Key 1,2		307-0628 307-1098	1 1	Spec A through S Begin Spec T Key 2,4 (32 Volt)
3	160-0799	1	Guide, Breaker Plunger - Key 1,2		307-0680	1	Spec A through S
4	160-0382	1	Diaphragm, Breaker Plunger - Key 1,2		307-1100	1	Begin Spec T Key 3 (24 Volt)
5 6	509-0091 COVER, ANT	1 I-FLICKE	Seal, "O" Ring - Key 1,2 ER - Key 1,2		307-0668 307-1099	1	Spec A through S Begin Spec T
	160-0796	1	Spec A through Portion of Spec V (Sets with Feed	9	306-0167	1	Plunger, Solenoid - Includes Pin
			Thru Condenser Mounted in Control)	10 11	306-0166 509-0018	1	Spring, Solenoid Plunger Seal, O-Ring - Stop Solenoid
	160-0918	1	Use Began During Spec V (Sets with Feed Thru	12 13	307-0736 337-0051	1	Gasket, Solenoid Mounting Strap, Ground Solenoid to Engine
7	312-0083	1	Condenser Mounted on Anti-Flicker Cover) Condenser, Feed Thru	14	RESISTOR, SOLENOID		RESSION RELEASE
,	312 3300	•	(1.75 Mfd) Key 1,2 Use Began During Spec V (Cover Mounted)		304-0003 304-0110 304-0078	1 1 1	Key 1 (For 12 Volt Solenoid) Key 2,3 (For 32 Volt Solenoid Key 3 (For 24 Volt Solenoid)

ANTI-FLICKER AND STOP SOLENOID


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
15	304-0292	1	Insulator, Resistor
16	WASHER, RE	SISTOR C	ENTERING
	304-0427	2	Key 1,2,4 (12 and 32 Volt)
	304-0014	2	Key 3 (24 Volt)
17	336-1366	1	Lead-Control to Anti-Flicker Key 1,2 - Spec A through portion of Spec V (Sets With Feed Thru Condenser Mounted in Control)
18	812-0059	2	Screw, Machine - Round Head (#6-32 x 1/4") Key 1,2 - Use Began During Spec V
19	853-0003	4	Washer, Lock - ET (#6) Key 1,2 - Use Began During Spec V
20	860-0006	2	Nut, Hex (#6-32) Key 1,2 - Use Began During Spec V
21	811-0096	2	Screw, Machine - Round Head (#10-32 x 1/4") - Key 1,2 Use Began During Spec V
22	854-0010	2	Washer, Lock - IT (#10) Key 1,2 - Use Began During Spec V



AIR HOUSING

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	134-1050	1	Housing, Blower	23	815-0235	6	Screw, Cap - Hex Head -
2	134-1048	1	Housing, Cylinder Air - Front	20	010 0200	•	Blower Housing Mounting
3	134-1127	1	Housing, Cylinder Air - Rear		•		(1/4-20 x 5/8")
4	134-1102	1	Panel, Cylinder Air Housing (Bottom)	24	813-0097	1	Screw, Machine - Round Head - Rear Air Housing Mounting
5	134-1130	1	Cover, Nozzle and Housing				(10-32 x 5/16")
6	134-1131	1	Cover, Housing, Plain	25	813-0098	2	Screw, Machine - Round Head -
7	134-1117	1	Panel, Air Housing Door		0.0000	_	Air Housing Door Bracket
8	134-1082	1	Bracket, Air Housing Door Panel	00	050 0040	4	Mounting (10-32 x 3/8") Washer, Lock - Spring -
9	134-1373	1	Screw, Door	26	850-0040	4	Cylinder Air Housing
10	800-0004	4	Screw, Top Cover				Mounting (1/4")
	***************************************	•	00. 0x, 10p 00.0	07	850-0045	2	Washer, Lock - Spring -
11	134-1180	1	Washer, Door (Early Models 8 for Top Cover)	27	850-0045	2	Blower Housing Support Mounting (5/16")
12	870-0194	5	U-Clip, Door Panel & Cover	28	850-0040	3	Washer, Lock - Spring -
13	134-1085	1	Support, Blower Housing &	20	630-0040	3	Grille Mounting (1/4")
		•	Grille	20	526-0021	4	Washer, Flat - Cylinder Air
14	134-1178	1	Grille and Plate	29	526-0021	4	Housing Mounting (17/64" ID x
15	134-1092	3	Retainer, Grille				3/4" OD x 1/16" Thk)
16	GROMMET,			30	526-0115	3	Washer, Flat - Grille
	508-0002	1	17/32" Hole	30	320-0113	3	Mounting (.200" ID x
	508-0021	3	3/4" Hole				3/8" OD x 1/32" Thk)
17	517-0035	1	Plug. Dot Button	31	854-0010	1	Washer, Lock - Flat Internal
18	800-0004	4	Screw, Cap - Hex Head - Cylinder Air Housing Cover	31	834-0010	,	Tooth - Rear Air Housing Mounting (#10)
			Mounting (1/4-20 x 5/8")	32	853-0013	1	Washer, Lock - Flat External
19	815-0235	1	Screw, Cap - Hex Head - Front Cylinder Air Housing	52	000 00 10	·	Tooth - Front Air Housing Mounting (1/4")
			Mounting (1/4-20 x 5/8")	33	854-0014	6	Washer, Lock - Flat Internal
20	815-0235	1	Screw, Cap - Hex Head -	00	004 0014	J	Tooth - Blower Housing
			Cylinder Air Housing Panel				Mounting (1/4")
		_	Mounting (1/4-20 x 5/8")	34	854-0013	1	Washer, Lock - Flat Internal
21	800-0024	2	Screw, Cap - Hex Head -				Tooth - Bottom Air Housing
			Blower Housing Support				Mounting (#12)
•	202 202	•	Mounting (5/16-18 x 1/2")	35	853-0008	2	Washer, Lock - Flat External
22	800-0007	3	Screw, Cap - Hex Head - Grille Mounting (1/4-20 x 1")				Tooth - Air Housing Door Bracket Mounting (#8)

GENERATOR




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	ADAPTER			9A	COIL ASSE	MBLY, INT	ERPOLE, SET OF
•	231-0100	1	Spec A and B		2 COILS	•	
	231-0113	1	Begin Spec C		222-1607	1	Key 3
2	205-0065	1	Blower, Generator		222-1614	1	Key 4
		ACCEMBI	V (Includes Dessine and Riower)	10	RIG ASSEN	IBLY, BRU	SH
4	ARMATURE	ASSEMBL	Y (Includes Bearing and Blower)				Key 1
			Key 1 2.5 kW, 50 Hertz		212-0392	1	120 Volt & 240 Volt, 1 Phase
	201 1202	1	120 Volt. 1 Phase		212-0394	1	120/240 Volt
	201-1202 201-1159	1	240 Volt. 1 Phase		212.0004		(Non-Reconnectible)
	201-1139	1	120/240 Volt, 1 Phase		212-0415	1	120/240 Volt - Reconnectible
	201-1214	1	(Non-Reconnectible)		212-0395	1	240 Volt, 3 Phase
	201-1236	1	120/240 Volt, 1 Phase		212-0398	1	Key 2
	201-1230	•	(Reconnectible)		212-0116	1	Key 3
	201-1160	1	240 Volt. 3 Phase		212-0383	1	Key 4
	201-1100	•	3.0 kW, 60 Hertz		212-0399	i	Key 1 - Contactors
	201-1116	1	120 Volt. 1 Phase		SPRING, BF	-	•
	201-1207	1	240 Volt, 1 Phase	11	212-1105	8	120 Volt, 240 Volt (1 Phase)
	201-1178	1	120/240 Volt, 1 Phase	11	212-1103	Ü	& 120 AC/32DC Volt,
	201 1110	•	(Non-Reconnectible)				Key 1, 2 - AC & DC
	201-1235	1	120/240 Volt, 1 Phase	11	212-1106	4	Key 4, Commutator (DC)
	201 1200	•	(Reconnectible)		212-1105	7	120/240 Volt, 1 Phase
	201-1293	1	120/208 Volt. 3 Phase	11	212-1105	,	(Non-Reconnectible) &
	201-1379	1	240 Volt, 3 Phase				240 Volt, 3 Phase, AC & DC,
	201 1010	•	Key 2				
	201-1206	1	120 Volt. 1 Phase		040 4405	40	Key 1 - Begin Spec D 120/240 Volt, 1 Phase
	201-1301	1	120/240 Volt, 1 Phase	11	212-1105	12	
	201-1192	i	Key 3				(Reconnectible) - Key 1 Begin
	201-1216	1	Key 4		010 4405	0	Spec V
5	510-0047	1	Bearing, Ball - Armature	11	212-1105	8	120/240 Volt, 1 Phase
6	232-0596	i	Clip, Bearing Stop				(Reconnectible) - Key 1 Prior to Spec V
7	FRAME ON		COILS AND POLE SHOES	40	010 1000	4	•
•	210-0348	1	Key 1, 2	12	212-1003	4	120/240 Volt, 1 Phase &
	210-0362	1	Key 3, 4				240 Volt, 3 Phase, DC, Key 1
8	SHOE, POLE	E-FIELD	, , , , , , , , , , , , , , , , , , ,	10	212-1004	2	- Spec A through C
•	221-0091	4	Key 1, 2	12	212-1004	3	120/240 Volt, 1 Phase &
	221-0126	4	Key 3, 4				240 Volt, 3 Phase, AC, Key 1
8A	221-0129	2	Shoe, Pole, Interpole -	12	212-1011	4	- Spec A through C
•		_	Key 3, 4	12	212-1011	4	Key 3, Commutator (DC)
g	COIL ACCE	MDIVELE	LD, SET OF 4 COILS				
ä	222-1593	1	Key 1				
	222-1593	1	Key 1 Key 2				
	222-1608	1	Key 2 Key 3				
	222-1608	1	Key 4				
	222-1010	1	noy 4				

GENERATOR

REF.		QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
13	BRUSH, COM			21	CONDENSER		DESCRIPTION
	2,100,1,00,1		Key 1	21	CONDENSER		War a
	214-0061	4	120 Volt & 240 Volt, 1 Phase		312-0058		Key 1
	214-0030	4	120/240 Volt, 1 Phase -		312-0038	1	AC (.1 Mfd), 120 Volt &
	214 0000	7	Spec A through C		210 0050	_	240 Volt, 1 Phase
	214-0061	4			312-0058	2	AC (.1 Mfd), 120/240 Volt,
	214-0001	7	120/240 Volt, 1 Phase -		040 0050	_	1 Phase (Non-Reconnectible)
	214-0030	4	Begin Spec D		312-0058	3	AC (.1 Mfd), 240 Volt, 3 Phase
	214-0030	4	240 Volt, 3 Phase - Spec A				& 120/240 Volt, 1 Phase
	214 0061	4	through C				(Reconnectible)
	214-0061	4	240 Volt, 3 Phase - Begin		312-0027	1	DC (.5 Mfd), 120 Volt, 240
	04.4.0000		Spec D				Volt & 120/240 Volt, 1 Phase
	214-0009	4	Key 2 - Spec A through C		312-0017	1	DC (.5 Mfd), 240 Volt,
	214-0083	4	Key 2 - Begin Spec D				3 Phase
	214-0018	4	Key 3				Key 2
	214-0068	4	Key 4		312-0058	1	AC (.1 Mfd)
14	BRUSH, COLL	ECTOR	RING (AC)		312-0027	1	DC (.5 Mfd)
			Key 1				Key 3
	214-0050	4	120 Volt & 240 Volt, 1 Phase		312-0017	2	DC (.5 Mfd)
	214-0079	3	120/240 Volt, 1 Phase -				Key 4
			Spec A through C		312-0017	1	DC (.5 Mfd)
			(Non-Reconnectible)		312-0027	1	DC (.5 Mfd)
	214-0050	3	120/240 Volt, 1 Phase -	22	COMMUTATO	R	(no mina)
			Begin Spec D		203-0127	1	Key 1
			(Non-Reconnectible)		203-0009	i	Key 2
	214-0050	8	120/240 Volt, 1 Phase		203-0058	1	Key 3
		J	(Reconnectible) - Begin Spec V		203-0088	i	Key 4
	214-0056	4	120/240 Volt, 1 Phase	23	COLLECTOR		Ney 4
		·	(Peconnectible) Delegate 0		204-0009	1	Key 1 (120 Volt, 240 Volt.
	214-0032	3	(Reconnectible) - Prior to Spec V		201 0000	,	
	217 000L	J	240 Volt, 3 Phase - Spec A		204-0010	1	1 Phase) & Key 2
	214-0050	3	through C		204.0010		Key 1 (120/240 Volt, 1 Phase)
	214-0030	3	240 Volt, 3 Phase - Begin				(Non-Reconnectible) &
	214-0050		Spec D		204-0092	4	3 Phase - 240 Volt, 3 Phase
15	_	4	Key 2		204-0092	1	Key 1 (120/208 Volt, 3 Phase)
13	BELL, END		W. A		204-0092	1	Key 1 (120/240 Volt, 1 Phase)
	211 0007		Key 1				Reconnectible
	211-0097	1	120 Volt & 240 Volt, 1 Phase	24			EAD - GENERATOR
	211-0098	1	120/240 Volt, 1 Phase,		ADAPTER MO		
	044 0007		& 240 Volt, 3 Phase		800-0050	. 2	3/8-16 x 1"
10	211-0097	1	Key 2, 3, 4		800-0051	2	3/8-16 x 1-1/4"
16	520-0502	2	Stud, Generator Through		WASHER, LOC	CK - SPF	
17	STUD, ARMAT	URE TH		25	850-0050	4	Generator Adapter Mounting
	500 0404		Key 1				(3/8")
	520-0491	1	120 Volt & 240 Volt, 1 Phase	26	850-0045	2	Generator Through Stud
	520-0525	1	120/240 Volt, 1 Phase &				(5/16")
			240 Volt, 3 Phase	27	526-0032	1	Washer, Flat (7/16") -
	520-0491	1	Key 2, 3, 4				Armature Through Stud
18	232-1256	1	Scroll, Generator Air		NUT, HEX		3
19	BAND, END BE	ELL		28	862-0004	1	Armature Through Stud
			Key 1				(7/16-14")
	234-0002	1	120 Volt & 240 Volt, 1 Phase	29	862-0015	2	Generator Through Stud
	234-0005	1	120/240 Volt, 1 Phase &	_		_	(5/16-18)
			240 Volt, 3 Phase	30	850-0055	1	Washer, Lock - Spring -
	234-0002	1	Key 2, 3, 4			•	Armature Through Stud
	234-0228		Housed Sets				(7/16")
20	COVER END E			31	800-0032	8	Screw, Cap - Hex Head
	211-0099		Unhoused Sets	٠,	230 000E	J	(5/16-18 x 1-3/4") -
	234-0229		Housed Sets				,
		•		32	516-0103	2	Pole Shoe Mounting Pin, Roll
					515-0122	1	Key, Blower to Armature
				55	0.0-0122	'	Ney, blower to Armature

CONTROL



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	301-2008	1	Box, Control	11	331-0088	1	Bushing, Junction Box (Housed Sets)
2	301-1963	1	Cover, Control	40	000 0154	1	Switch, Start/Stop
3	PANEL, COI	NTROL BO	OX .	12	308-0154	1	Switch, Start/Stop
	301-2009	1	Key 1,5	13	SWITCH	4	Manifold Heater
	301-2295	1	Key 2		308-0037	1	
	301-2274	1	Key 3,4		308-0007	1	Hi-Low Charge - Key 2
4		1	Bracket, Control Box	14	AMMETER,	CHARGE	v 15 (505)
			Mounting, One Piece		302-1366	1	Key 1,5 (5-0-5)
			(Order 301-2424, 301-2425 and		302-1362	1	Key 2 (30-0-30)
			301-2426)		302-0064	1	Key 3,4 (100-0-100)
4A	301-2424	1	Bracket, Control Box Mounting	15	508-0001	2	Grommet, Rubber - Voltage
4B	301-2425	1	Bracket, Control Box Mounting,				Code FB - Key 1, Voltage
70	001 2 120	•	Right Hand				Code FJ - Key 5
5	301-2426	1	Bracket, Control Box Mounting,	16	508-0015	2	Washer, Fiber - Voltage Code
9	001 2420	•	Left Hand				FB - Key 1, Voltage Code FJ
6	307-0004	1	Relay, Decompression Solenoid				- Key 5
U	307-0004	•	Relay	17	301-2012	1	Cover, Resistor - Key 1,5
7	RELAY, REV	ERSE CIT		18			Resistor, Fixed
,	307-0180	1	Key 1,5	10	304-0032	1	15-0hm, 10 Watt - Key 1,5
	307-0100	1	Key 2		304-0257	1	75-Ohm, 25 Watt - Key 2
	307-0490	1	Key 3		304-0011	1	50-Ohm, 25 Watt - Key 3
	307-0007	1	Key 4		304-0256	1	75-Ohm, 25 Watt - Key 4
	307-0301	MANUEOU	D HEATER AND START	19	304 0200	-	Resistor, Adjustable
8	307-1046		Key 1,5	13	304-0506	1	6-Ohm, 150 Watt - Key 1,2,5
		2			304-0175	1	1-Ohm, 50 Watt, Flicker -
_	307-0061	2	Key 2,3,4		304-0173	1	Key 1,5
9	330-0011	1	Box, Junction (Housed Sets)		304-0016	1	2.5-Ohm, 50 Watt, Flicker -
10	330-0012	1	Cover, Junction Box		304-0016	1	Key 2
			(Housed Sets)				vea -

CONTROL

REF.		QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
20			Block, Terminal	38	RHEOSTAT		
			4 Place		303-0046	1	Key 3 (10-Ohm)
	332-0537	1	Key 2 - Remote Control		303-0010	1	Key 4 (8-Ohm)
	332-0537	2	Key 3,4 - Remote Control	39	303-0047	1	Knob, Rheostat - Key 3,4
			(1) Terminal Load (1)	40	HARNESS, V	VIRING	
	332-0604	1	5 Place - Key 1,2,5 -		338-0313	1	Rheostat - Key 3,4
			Remote Control		338-0496	1	Control to Output Box -
21	332-0609	1	Block, Terminal - 2 Place,				Housed Sets
			Terminal Load - Key 1		338-0939	1	Control to Housing Start/
22	332-1043	1	Jumper, Terminal - Voltage				Stop - Housed Sets
			Code FB - Key 1,5	41	337-0036	1	Strap, Bond 5"
24			Strip, Marker	42	332-0592	1	Jumper, Ground
	332-0616	1	B+, 1,2,3 H	43	332-0602	1	Jumper, Solenoid
	332-0554	1	F2, 4,5,6 - Key 2,3,4	44	LAMP		
30			Cable, Battery - Key 1,2		322-0004	As Req	Indicator - Sets With
	416-0077	2	Sets Without Housing or				Indicator Lamp
			Skid Mounting (28")		322-0004	2	Panel Light - Housed Sets
	416-0050	2	Sets With Housing or Skid	45	322-0072	2	Receptacle, Panel Light - Housed Sets
	410 0100	4	Mounting (36")	46	308-0002	1	Switch, Panel Light -
31	416-0133	1	Cable, Battery Jumper	70	300-0002	'	Housed Sets
32	304-0006	2 1	Washer, Resistor Centering	47	321-0175	1	Holder, Fuse - Begin Serial
33	312-0057	1	Condenser, Anti-Flicker (1.0 Mfd) Key 1,2 (Used	41	021-0115	•	Number B780303772 During
			Spec A through Portion of				Spec V
			Spec V) Sets With Feed Thru	48	321-0146	1	Fuse (10 Amp) Begin
			Condenser Mounted in Control	, ,	021 0110	•	Serial Number B780303772
24	402-0078	4	Mount, Rubber - Control Box				During Spec V
34 35		4 1	Box, Rheostat Mounting -	49	322-0069	AR	Holder, Indicator Lamp - Sets
35	301-2290	1	Key 3,4	43	322 0003	Air	With Indicator Lamp
36	301-2291	1	Panel, Rheostat Box - Key 3,4		305-0673	1	Rectifier (CR1) Begin Spec V
37	301-2129	1	Bracket, Rheostat Box Mounting - Key 3,4	51	305-0254	1	Bracket, Rectifier Mounting

SERVICE KITS & MISCELLANEOUS

PART NO.	QTY. USED	PART Description
98-1100	1	Decal Kit
168-0085	1	Gasket Kit, Set
OVERHAUL	KIT, SET	•
522-0200	1	Spec A through R
522-0249	1	Begin Spec S
TOUCH-UP	PAINT (13	oz. Pressurized Can)
525-0137	1 `	Metallic Green
525-0305	1	Non-Metallic Green
525-0454	1	Greige - Enamel

NOTE: For other kits refer to the related group for the part in question.

SPECIAL PARTS SECTION

CONTRACTOR MODELS

For:

2.5 DJA-53CE/

3.0DJA-1E/ & 3.0DJA-3E/

(Formerly 3DJA-1E2236/ & 3DJA-3E2236/)


Parts not Listed in this section refer to the standard parts groups, using Parts Key 1. Exception: Overhaul Kits do not apply.

OIL SYSTEM



REF.	PART	QTY.	PART
NO.	NO.	USED	DESCRIPTION
1	309-0105	1	Switch, Oil Pressure - Decompression Release Solenoid Cut-In

EXHAUST SYSTEM




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	155-0824	1	Muffler, Exhaust
2	505-0177	1	Nipple, Pipe Close - Exhaust
3	154-0704	1	Manifold, Exhaust

Generator

REF NO.	PART NO.	QTY USED		PART DESCRIPTION
10	212-0399	1	Brush	Rig
	10			


CYLINDER BLOCK AND OIL BASE

REF.	PART	QTY.	PART
NO.	NO.	USED	DESCRIPTION
1	509-0112	1	Seal, Crankshaft Rear



GEARCASE


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	509-0111	1	Seal, Oil - Gear Cover
2	103-0454	1	Gearcase Assembly, Complete (Not Illustrated)



SPECIAL PARTS SECTION

CONTRACTOR MODELS

AIR CLEANER AND FUEL FILTER




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
2	502-0137	1	Connector, Male, Fuel Pump Outlet - Spec A through R
3	501-0098	1	Line, Pump to Secondary Filter - Spec A through R
4	502-0148	1	Elbow, Male, Secondary Filter Inlet - Spec A through R
4	502-0148	1	Elbow, Male, Secondary Filter Outlet - Spec A through R
5	501-0096	1	Line, Secondary Filter to Injection Pump - Spec A through R
6	502-0148	1	Elbow, Male, Injection Pump Inlet - Spec A through R
8	140-0765	1	Element Only, Air Cleaner
9	140-0722	2	Band, Air Cleaner Mounting
10	140-0728	1	Bracket, Air Cleaner
11	503-0419	1	Elbow, Air Cleaner, Rubber
12	503-1141	4	Clamp, Hose, Air Cleaner
13	140-0742	1	Tube, Air Induction
14	140-0723	1	Pre-Cleaner, Air Cleaner (Plastic)
15	140-0645	1	Adapter, Air Cleaner Hose to Air Cleaner Adapter
17	503-0330	1	Hose, Air Cleaner Connector
20	140-0721	1	Cleaner, Air - Includes Element and Baffle
21	140-1267	1	Baffle, Air Cleaner

SPECIAL PARTS SECTION

CONTRACTOR MODELS

CONTROL



Bracket, Resistor Mounting

Cleaner Bracket Mounted

Condenser (1.0 Mfd) Air

1

2

508-0026


304-0117 312-0057

13

OPTIONAL PARTS SECTION


This section contains illustrated parts listings of factory installed options. Options may not be applicable to all models; for field conversions additional parts are usually required.

AIR DUCT — OPTIONAL




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	870-0178	3	Nut, Speed - Sheet Metal (1/4-20)
2	134-1806	1	Duct, Air
3	853-0013	3	Washer, Lock - ET (1/4")
4	815-0235	3	Screw, Cap - Hex Head, Pointed End (1/4-20 x 5/8")

OIL BATH AIR CLEANER - OPTIONAL




REF.	PART	QTY.	PART
NO.	NO.	USED	DESCRIPTION
1	140-0677	1	Conversion Kit, Oil Bath Air
			Cleaner (Includes Parts
			Listed Below - Plus Hardware)
2	140-0500	1	Cleaner, Air
3	140-0519	1	Band, Air Cleaner
4	503-1141	2	Clamp, Air Cleaner Hose
5	503-0444	1	Hose, Air Cleaner to Adapter
6	140-1212	1	Adapter, Air Cleaner
	, WASHER, LO	OCK SPRIN	IG
7	850-0040	2	Upper Adapter Mounting - 1/4"
8	850-0040	2	Band Mounting - 1/4"
	SCREW, CA	P-HEXHE	AD
9	800-0003	2	Band Mounting - 1/4-20 x 1/2"
10	800-0007	1	Upper Adapter Mounting
			1/4-20 x 1"
11	800-0015	1	Upper Adapter Mounting - 1/4-20 x 3"
12	862-0001	2	
12	002-0001	2	Nut, Hex - Band Mounting 1/4-20
13	505-0008	1	Plug, Pipe - Cleaner Adapter 1/8"
14	140-0584	1	Gasket, Air Cleaner

HOUSING AND SKID BASE — OPTIONAL



REF. NO.	Part No.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART Description
1 2	403-0679 405-1323	1 1	Base Panel, Upper (Engine End)	18	405-1139	2	Spring, Shoulder Pin - Rear Panel
3 4	405-1333 FANEL (Gen	1 erator End	Panel, Lower (Engine End) d) - REAR	19	526-0022	2	Washer, Shoulder Pin - Rear Panel
-	405-1322 405-1331	1	Sets Without Meter Panel Sets With Meter Panel	20 21	516-0039 520-0490	2 2	Pin, Shoulder Stud, Battery Holddown
5	PANEL, DOC 405-1329 405-1332)H - HEAF 1 1	SEND Sets Without Meter Panel Sets With Meter Panel	22	Group for C		
6 7	405-1330 405-1348	i 1	Panel, Generator Access Panel, Top		134-1806 134-1809	1	Sets Without Shutters Sets With Shutters
8	PANEL - RIG	HT SIDE	, ,	23	405-1181	2	Stop, Door
9	405-1386 405-1391 405-1346	1 1 1	Sets Without Shutters Sets With Shutters Panel, Left Side	27 28	405-1673 336-0476	1	Shield, Rain Strap, Ground - Engine to Frame
10 11	405-1344 405-1345	1 1	Rail, Stiffener - Right Side Rail, Stiffener - Left Side	29 30	895-0104 BAND, MUF	1 FLER MO	Stripping, Foam Weather (76") UNTING
12 13	405-1341 503-0423	2 1	Bracket, Stiffener Rail Hose, Flexible - Generator		140-0631	2	For Mounting 155-0456 (Standard) Muffler
14 15 16 17	416-0502 406-0002 406-0105 405-1138	1 1 2 2	Air Duct Frame, Battery Holddown Knob, Rear Door Panel Fastener, Housing Pin, Shoulder - Rear Panel		140-0078	2	For Mounting 155-0360 (Critical) Muffler

AIR DUCT AND SHUTTER - OPTIONAL



Switch, High Temperature -

Screw, Cap - Hex Head -

Washer, Lock - External

Optional

Pointed End (1/4-20 x 5/8")

Tooth (1/4") Nut, Sheet Metal, Spring

(1/4-20)

Duct, Air

1

3

3

3

1

309-0162

815-0235

853-0013

870-0178


134-1254

22

23

24


AIR DUCT AND SHUTTER - OPTIONAL INTERNAL SPRING TYPE - USED ON CURRENT MODELS



M-1522


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	134-1809	1	Air Duct and Shutter Assembly	18	862-0015	1	Nut, Jam (5/16-18)
			(Internal Spring Type) Replaces 134-1253 Air	19	853-0016	1	Washer, Lock - External Tooth (5/16")
			Duct and Shutter Assembly (External Spring Type)	20	526-0113	1	Washer, Flat (11/32" ID x 1" OD x 3/32" Thk)
1	815-0194	8	Screw, Tapping - Hex Head	21	134-1605	1	Shaft - Actuating Arm
			with External Tooth	22	134-1248	2	Bearing - Actuating Arm
			Lockwasher (#10-32 x 3/8")	23	526-0213	1	Washer, Flat (21/64" ID x
2	870-0131	9	Nut, Hex - With External Tooth				1" OD x 1/8" Thk)
			Lockwasher (#10-32)	24	134-1604	1	Arm, Actuating - Shutter
3	134-1808	2	Shutter, Air	25	134-0656	1	Spring, Vernatherm Element
4	821-0010	4	Screw, Self-locking - Hex Washer Head (1/4-20 x 1/2")	26	526-0175	2	Washer, Flat (41/64" ID x 29/32" OD x 1/16" Thk)
5	856-0006	4	Washer, Lock - External	27	309-0085	1	Element, Vernatherm
			Tooth (1/4")	28	813-0097	2	Screw, Machine - Round Head
6	134-2900	4	Bearing - Shutter				(#10-32 x 5/16")·
7	134-2411	2	Bracket and Pivot - Shutter	29	853-0008	2	Washer, Lock - External
8	134-1802	1	Bracket and Pivot - Shutter				Tooth (#10)
			and Rod (Upper)	30	134-1610	1	Bracket and Guide - Vernatherm
9	134-1801	1	Bracket and Pivot - Shutter	31	508-0002	1	Grommet, Rubber
		_	and Rod (Lower)	32	815-0235	3	Screw, Cap - Hex Head, Pointed
10	134-1817	1	Spring - Shutter Return (Upper)			_	End (1/4-20 x 5/8")
11	134-0658]	Spring - Shutter Return (Lower)	33	853-0013	3	Washer, Lock - External
12	518-0004	1	Clip, Rod End - Right Hand				Tooth (1/4")
13	134-1606	I	Rod, Control - Upper	34	870-0178	3	Nut, Sheet Metal - Spring
14	870-0053	ī	Nut, Hex (#10-32)	25	104 1006	4	(1/4-20)
15	150-1358	1	Joint, Ball	35	134-1806	1	Duct, Air
16	518-0006	2	Clip, Rod End - Left Hand				
17	134-1607	1	Rod, Control - Lower				

CONTINUOUS GLOW PLUG CONTROL - OPTIONAL



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	315-0433	1	Transformer (Includes Mounting Hardware)	14	812-0082	6	Screw, Machine - Round Head Steel (#8-32 x 3/4")
2	301-4428	1	Box, Control	15	853-0005	6	Washer, Lock - ET (#8)
3 4	301-4821 307-1274	1 1	Bracket, Mounting Relay	16	526-0048	2	Washer, Flat - Brass (.172 ID x 3/8" OD x 1/32" Thk)
5	332-2566	1	Strip, Marker (Marked 15,	17	815-0203	1	Screw, Machine - Round Head Brass With ET (#10-32 x 7/8")
_	000 0400		16, 19)	18	856-0003	1	Washer, Lock - EIT (#10)
6	332-0406	1	Block, Terminal (2-21/32" Lg)	19	871-0010	3	Nut, Hex - Brass (#10-32)
7	332-2567	7	Strip, Marker (Marked 17,18,20)	20	332-0592	3	Jumper, Ground
8	332-0236	1	Block, Terminal (3-3/16" lg)	. 21	526-0049	2	Washer, Flat - Brass (.200 ID x
9	301-4429	1	Cover, Control Box				7/16" OD x 1/32" Thk)
10	508-0001	2	Grommet	22	853-0008	2	Washer, Lock - ET (#10)
11	815-0026	2	Screw, Machine - Truss Head (#10-32 x 3/8")	23	821-0014	4	Screw, Cap - Hex Locking Washer Head (5/16-18 x 1/2")
12	860-0008	6	Nut, Hex (#8-32)	24	856-0008	4	Washer, Lock - EIT (5/16")
13	850-0025	6	Washer, Lock - Spring (#8)		625-1581	_	Diagram, Wiring

AC METER PANEL (HOUSED SETS) — OPTIONAL




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	*PANEL, ME	TER - Begi	in Spec U
		_	120/240 Volt, 1 Phase
	301-1554	1	Sets Without Frequency Meter
			and Running Time Meter
	301-2288	1	Sets With Frequency Meter
			and Running Time Meter
2	AMMETER,	AC (Select	According to Scale)
	302-0460	As Req.	Scale Reads 0-20
	302-0418	As Req.	Scale Reads 0-30
	302-0444	As Req.	Scale Reads 0-35
	302-0419	As Req.	Scale Reads 0-50
	302-0458	As Req.	Scale Reads 0-80
3	VOLTMETE	R, AC (Sele	ect According to Scale)
	302-0420	1	Scale Reads 0-150
	302-0421	1	Scale Reads 0-300
	302-0422	1	Scale Reads 0-600
4	BREAKER, (CIRCUIT (Check Original Part, Select
	According to	o Amp. and	d Voltage; 120 Volt is 1" Wide,
	480 Volt is 1	-1/2" Wide	2)
	320-0002	As Req.	15 Amp., 120/240 Volt
	320-0150	As Req.	20 Amp., 480 Volt
	320-0151	As Req.	25 Amp., 480 Volt
	320-0058	As Req.	30 Amp., 120/240 Volt
	320-0020	As Req.	35 Amp., 120/240 Volt
	320-0153	As Req.	40 Amp., 120/240 Volt
	320-0198	As Req.	45 Amp., 120/240 Volt
	320-0052	As Req.	
	320-0195	As Req.	
	320-0148	As Req.	70 Amp., 120/240 Volt

REF. NO.	PART NO.	QTY. USED	PART Description
5	308-0012	1	Switch, Voltmeter Selector, 3 Phase Only
6	303-0076	1	Knob, Selector Switch, 3 Phase Only
7	METER, FRE	EQUENCY	,
	302-0213	1	60 Hertz
	302-0234	1	50 Hertz
8	302-0448	1	Plate, Meter Face (Used on Early Style Round Meter)
9	*302-0465	1	Meter, Running Time - Begin Spec U (120/240 Volt - 60 Hertz)


* - Spec A through T generator sets order by description giving complete model and serial number.

SKID AND BATTERY RACK — OPTIONAL



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	403-0679	1	Skid
2	416-0502	1	Frame, Battery
3	526-0115	2	Washer, Flat (11/32" ID x 11/16" OD x 1/16" Thk)
4	520-0490	2	Stud, Battery Frame
5	850-0045	2	Washer, Lock - Spring (5/16")
6	862-0015	6	Nut, Hex (5/16-18)
7	336-0476	1	Strap, Ground
8	416-0050	2	Cable, Battery
-	710 0000	-	,


FUEL TANK (HOUSED SETS) - OPTIONAL



FS-1526

REF. **PART** QTY. PART NO. NO. **USED** DESCRIPTION 159-0961 1 Tank Assembly, Fuel -Complete (Includes all Listed Parts) 159-0802 Tank, Fuel 159-0786 Strap, Mounting - Bottom 159-0789 Bracket, Tank Support 159-0787 2 Strap, Hold-Down - Top 159-0512 Cap and Indicator Assembly 504-0007 Valve, Shut-Off - Fuel Return LINE, FUEL - FLEXIBLE 12" - Tank to Filter 501-0004 24" - Fuel Return 501-0131 332-0050 8 2 Clip, Fuel Line 159-0751 Gasket - Tank Filler Neck 9 to Housing Top Panel 10 504-0013 Valve, Shut-off -Screened (Tank Outlet) HARDWARE, MOUNTING - Not Illustrated 800-0009 4 Screw, Cap - Hex Head (1/4-20 x 1-1/2") 812-0150 Screw, Machine - Round Head (1/4-20. x 5/8") 813-0103 1 Screw, Machine - Round Head (#10-32 x 3/4") 850-0040 12 Washer, Lock - Spring (1/4") 332-0942 Tie, Cable


FUEL TANK (UNHOUSED SETS) — OPTIONAL



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	415-0129	1	Tank Assembly, Fuel (5 Gallon) Includes All Parts Listed Below
1	415-0126	1	Tank Assembly, Fuel (Includes Parts Marked *)
2	415-0313	1	*Cap, Fill
3	870-0118	1	*Nut, Self Locking (Special)
4	526-0153	1	*Washer, Flat - Copper (1/2" ID x 3/4" OD x 1/16" Thk)
5	415-0047	1	*Fitting, Fuel Tank
6	415-0124	1	Cap, Rain
7	504-0013	1	Valve, Shut Off (Screened)
8	501-0081	1	Line, Fuel - Return (48")
9	501-0009	1	Line, Fuel - Tank to Pump (36")

^{* -} Parts Included in 415-0126 Fuel Tank Assembly.

MISCELLANEOUS OPTIONAL PARTS



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	SWITCH,	HIGH AIR TE	MPERATURE
	309-0196	1	Sets Without High Air Temper- ature Indicator Lamp
	309-0206	1	Sets With High Air Tempera- ture Indicator Lamp
2	309-0195	1	Bracket, Mounting
3	508-0126	4	Washer, Insulating
4	508-0127	1	Insulator, Sleeving
5	526-0021	1	Washer, Flat (17/64" ID x 3/4" OD x 1/16" Thk)
6	856-0006	1	Washer, Lock - EIT (1/4")
7	862-0001	1	Nut, Hex (1/4-20)
8	332-0876	1	Terminal, Ground
9	155-0360	1	Muffler, Critical - Housed Sets (1-1/2" Inlet)
10	102-0558	1	Heater, Oil Base
11	122-0193	1	Filter, Oil - Heavy Duty (5-3/4" Long)